







Aesthetic Gynaecology: Challenges & Recommendations

Dr. Hanan A. Sultan

Senior Obstetricians & Gynaecologist
Reproductive Genetics & Aesthetics Gynecology Specialist
Member Board Director Saudi Scientific Society for Medical
Jurisprudence Studies - SSSMJS





OUTLINE

- Challenges of Aesthetic Gynaecology
- ✓ Relatively new emerging subspecialty / highly expanding High Customer's Demands / Normal "ideal genitalia"
- ✓ Overlap between Cosmetic & Rejuvenations
- ✓ Efficacy ? Evidence Base Lacking need more Research
- ✓ Leading **Gynecological Associations** Statement Aesthetic Gynecology
- ✓ Training Aesthetic Gynecology world wide
- ✓ Multidisciplinary Specialty: Gynecologist / Dermatologist / Plastic Surgeon / Urologist / Urogynecologist & Psychiatric
- Effects of the Media Advertising on the practice
- Ethical Implications & Recommendations



Challenges 1- Aesthetic Gynaecology



- ✓ A relatively new specialty that has gained popularity
 & Rapidly expanding worldwide (non-surgical procedures)
- ✓ Aim to: Correct, modify, Reshape & Beautify any changes in the female genital area / Reproductive system (Restore Functional or regenerative rejuvenations)
- ✓ Correct Changes as a result of Advanced age; Repeated births; Pelvic muscle problems menopause; or Birth defects from the time of birth

Aesthetic Gynaecology

- ✓ The concept of "women's Health" has changed dramatically. From Prevention & Treatment of diseases to "improve the quality of life"
- ✓ The concept of body and sensation (pertaining to visual Appearance & Sensation)
- ✓ Women's needs vary according to needs and necessity
- The difference between NEEDS (medical & Jurisprudence)

Aesthetic Gynaecology



Growing fascinating "Perfect body" in this era

Involving multiple disciplines
Appearance of the external genitalia &
Functional concerns to improve the sexual
wellness or quality of life

Social Media

"Perfect genitalia"

✓ It is a promising specialty. Experts expect it to be one of the cosmetic trends in the coming few years

India rise from 3.9% in 2012 to 28.97% in 2015 labial peels &


PRP. Serious evidence for efficacy is lacking (Desia SA, 2018)

American Society of Plastic Surgeons (ASPS) statistics | ISAGSS





ISAGSS Report 2018 - Aesthetic Genital surgeries



TOTAL increase by 11 millions in 18 years

Non Surgical Procedures

- 1997-2015 (18y) **1.5 millions to 12.7** 11 millions increase
- Mainly in Non-Surgical Procedures 10,879,909 (85.7%)
- Surgical very slight increase / platu 1 million to 1.9 only



https://www.isagss.org/en/procedures/statistics-of-aesthetic-genital-surgeries

ISAGSS Report 2018 - Aesthetic Genital surgeries



Annual amount spent on all cosmetic procedures in the USA in 2018 16.5 billion USD

1- Labiaplasty – Labia Minora reduction "Labiaminoraplasty"

- Most frequent surgery Globally
- 10 x more than pelvic floor reconstruction 2018
- > 2015 & 2016 increase in FGCS by 39% (age < 14 y)
- > 2012 & 2017 (5y) increased by 217.3%
- > 90% age group 19-50
- > 55.3% 19-34 years old / 4.3% ≤ 18 years
- > 34.2% 35-50 years old / 5.6% 51- 64 y

https://www.isagss.org/en/procedures/statistics-of-aesthetic-genital-surgeries



ISAGSS Report 2018 - Aesthetic Genital surgeries 25 ISAGSS



Clitoral hood reduction: "Clitoral hoodoplasty" "clitoral hoodectomy

- Removal of excess skin tissue over the clitoris & reduction of the head covering the clitoris
- Usually done simultaneously with labiaplasty

Labia Majora Augmentation & Reduction "Majoraplasty"

- 2- Vaginal tightening (vaginoplasty) "Surgical vaginal rejuvenation"
- **Anterior & Posterior Colporrhaphy**
- Lateral colporrhaphy
- Perineoplasty "Perineoraphy" or "Perineal aesthetics"
- Colpoperineoplasty / Hymenoplasty



ISAGSS Report 2018 - Aesthetic Genital surgeries



- 3- Fractional vaginal laser, genital RF & PRP
- 4- Carboxytherapy (Carbon dioxide gas insufflations)
- 5- Vaginal **HIFU** (Focused ultrasound)
- 6- Genital mesotherapy
- 7- Thread applications for vagina & external genitalia
- 8- Magnetic chair HIFUM

Recent years, an incredible trend has been followed by patients towards female genital aesthetic



Genital Aesthetic Functional Applications

- ✓ Elimination of menopausal complaints
- ✓ Treatment of varicose veins in the genital area (vulvar)
- ✓ Treatments of genital warts
- ✓ Removal of benign tumors
- ✓ Manage pain in sexual intercourse



What is behind this rapid increase

Internet & Social Media networking Significant Impact







NORMAL VARIATIONS IN THE VULVA





NO pre-established beauty standard for external genitalia

Perception of ideal external female genitalia or ideal labium appearance differs between countries

Koster M & Rwandan L 2008. Female genital modification: elongation of labia minora and the use of botanical species.

Cult Heal Sex;10:191-204



Different techniques & Approaches FGCS


increased negative psychological responses, embarrassment, anxiety & insecurity



What is behind this Rapid Increase

- ✓ Internet & Social Media Advertising
- ✓ Idealization of the perfect body & Perfect genitalia
- ✓ "Designer vulva" or "Barbie doll vulva"

PSYCOLOGICAL IMPACT



Women feeling anxious, insecure with lower self-esteem

 Trend of hairless pubic (Lasers or Brazilian wax) increase selfexamination of External Genital

PSYCOLOGICAL IMPACT

- Unrealistic expectation by the male partner usually derived from the exotic movies, magazines, decreased society inhibitions, cultural change with acceptance of exhibitionist tendencies of human body, and increasing materialism
- Majority of women undergoing labiaplasty found to be Narcissistic personality or histrionic personality OR suffering from body dysmorphic disorder (BDD) (Brotto LA et al., 2019)



Other factors contributes to expanding the NON-SURGICAL approach for FGC

- ✓ Less Cost Day case or in the clinic / No Hospitalization
- ✓ Quick few hours & Rapid recovery / No General anesthesia
- ✓ Good for relatively elderly with chronic disease / Less absent from home & work



2- Overlap between Cosmetic & Rejuvenations

- ✓ The lines between medically necessary operations such as vaginal/pelvic reconstructive surgery and elective surgeries such as vaginoplasty and labiaplasty are blurring and can now be performed at the same time
- ✓ Both function and beauty are becoming addressed together and not separately



Güneş A & Alinsod R: A mini-review of aesthetic gynecology and leading gynecology associations' approaches to this issue. Turk J Obstet Gynecol 2018;15:105-11 DOI: 10.4274/tjod.33407

3- No Scientific evidence for most procedures done

- No scientific evidence to support the safe and efficient use of over-thecounter products (e.g. topical vaginal tightening products) for treating Vaginal laxity
- ✓ No supporting evidence regarding the use of injectable volumizers like hyaluronic acid (HA), platelets rich plasma PRP, and physical devices (such as Gore-Mycro-mesh and silicone threads

Qureshi A et al., (2018); Aguilar P, et al. (2016) & Park T & Whang K (2015)

✓ the expanding use of HA and collagen in genital plastic surgery and reconstructive surgery has led to increased pulmonary complication

Park T & Whang K (2015) Al-Mousa et. al., (2022)

Energy-Based Devices EBD

- Restore the Elasticity of the connective tissue of the vaginal wall at 40°C-42°C
- Improves the vaginal lubrication & humidity of the vaginal mucosa
- Vaginal rejuvenation are fascinating
- Rx 8-30 min 2x ? Touch up 12-18 m / painless
- Improve mild SI, dryness, overactive bladder, grade I prolapse, orgasmic dysfunction & VL
- 2018, USFDA warned against for vaginal rejuvenation or vaginal cosmetic procedures and has declared that the efficacy & safety of these devices in such procedures are not yet established




1-LASER "Light Amplification by the Stimulated Emission of Radiation

Minimally Ablative fractional Safe, Accurate & Efficient (resurfacing & regeneration of the V skin

Widely used in vaginal tissues CO2 (10,600 nm)

Erbium: yttrium-aluminum-garnet (Er:YAG)
2940 nm Gold M et al., 2014



Short-term Results, Small sample size, & Lack of Randomization




2 -High-Intensity Focused Ultrasound (HIFU)

Deep penetration / ultrasound very high frequency/ Heat tissue up to 75°C (65-75°C) / Complications adhesion?

Recently introduced in the treatment of VL, with acclaimed promising effects. However, there are NO published articles to support this claim yet (AL-Mousa N et al., 2022)







Lack solid scientific evidence long-term benefits

3- Radiofrequency Non Surgical cryogenic surface cooling Ulubay et al., 2016



Obstetrics & Gynecology: Open Access

Al-Mousa N, et al. Gynecol Obstet Open Acc 6: 147. www.doi.org/10.29011/2577-2236.100147 www.gavinpublishers.com



Review Article

Vaginal Laxity: Prevalence, Risk Factors, Diagnostic and Therapeutic Approaches

Noor Al-Mousa¹, Ahmed Al-Badr², Mohamad Al-Tannir^{3*}

¹Urogynecology Fellow, Women's Specialized Hospital, King Fahad Medical City, Riyadh, Saudi Arabia

²Consultant, Urogynecology and Pelvic Reconstructive Surgery, Women's Specialized Hospital, King Fahad Medical City, Riyadh, Saudi Arabia

³Chairperson, Research Monitoring Department, Research Center, King Fahad Medical City, Riyadh, Saudi Arabia

*Corresponding author: Mohamad Al-Tannir, Chairperson, Research Monitoring Department, Research Center, King Fahad Medical City, Riyadh, Saudi Arabia

Citation: Al-Mousa N, Al-Badr A, Al-Tannir (2022) Vaginal Laxity: Prevalence, Risk Factors, Diagnostic and Therapeutic Approaches. Gynecol Obstet Open Ace 6: 147. DOI: 10.29011/2577-2236.100147


Received: 21 April 2022; Accepted: 27 April 2022; Published: 30 April 2022

- Increase papillary dermis NERVE Fibers (Gold M et al., 2018)
 - Sexual pleasure treatments -RCT Prove effectiveness (Robinson D et al., , 2003)
- Neocollagenesis & Neoelastogenesis in submucosa (Leibaschoff G et al., 2016)
- Non ablative device Vaginal Rejuvenation & Tightening -
- External gentalia Tightening & Resurfacing (Sadick N et al., , 2014)

Radiofrequency & HIFU

RF Heat the vaginal tissue optimum needed temperature 42°C to produce Collagen

 RF & HIFU induce Neocollagenesis in the middle and lower reticular dermis & Neoelastogenesis in the deep reticular dermis



RF affects tissue more diffusely VS HIFU more focal collagen induction



Vulvar Rejuvenation by HIFU

Promising, safe & extremely effective adjuvant alternative to support the treatment of unsightly conditions in the female intimate region

As good as Radiofrequency, Fractional laser & plasma injections

Promote intense neocollagenesis in the dermal tissue



Journal of Biosciences and Medicines, 2022, 10, 239-252

https://www.scirp.org/journal/jbm ISSN Online: 2327-509X

ISSN Print: 2327-508:

Vulvar Rejuvenation Using High-Intensity Focused Ultrasound (HIFU): Fundamentals and Technique

Fábio dos Santos Borges^{1*}, Mylana Almeida de Carvalho², Carla Barreto Silva de Cerqueira², Tais Andrade Cravo Monteiro², Isabelle Maria Almeida e Benevides³, Adriele Machado Dantas³, Thiago Gusmão da Silva⁴, Carolina Barreto Ribeiro Martins dos Santos⁵

¹Estácio de Sá University, Rio de Janeiro, Brazil

²IDE Faculty—Institute for Educational Development, Salvador, Brazil

3Longevitat Clinic-Advanced Aesthetics, Salvador, Brazil

⁴FAINOR, Independent College of the Northeast, Vitória da Conquista, Brazil

⁵UFBA, Federal University of Bahia, Salvador, Brazil

⁵UFBA, Federal University of Bahia, Salvador, Braz Email: *fabioborges2000@gmail.com Borges et al., 2022

40 days after HIFU Rx Ultraformer III® manufactured by CLASSYS INC., Seoul, Korea

HIFUMI - Magnetic Stimulation Chairs





Electromagnetic waves very strong
11x Kegel exercise

High Intensity Magnetic Stimulation Generate magnetic pulses stimulate muscles contractions



Improve UI & Intimate Satisfactions Fecal incontinence



PRP & Aesthetic gynecology

PRF mixture of platelets, leukocytes, cytokines, & circulating stem cells that is optimal for stimulating fibroblast migration and proliferation

Rapid remodeling & connective tissue growth after vaginal surgery
Injection of O spot sexual pleasure

The Egyptian Journal of Hospital Medicine (April 2021) Vol. 83, Page 889-894

Platelet-Rich Plasma (PRP) in Obstetrics and Gynecology Mohammed Abd El Naser Galal, Ahmed Aly Khalifa, Mohammed Yahya Abd El Hafez, Ahmed Tag El Deen Abd El Hafeez, Allam Mohammed Abd El Moneem

Department of Obstetrics and Gynecology, Faculty of Medicine, Sohag University, Egypt Corresponding author: Mohammed Abd El Naser Galal, Mobile: (+20) 01095926603, Email mohammedabdelnaser12992@gmail.com.

ABSTRACT

Background: Platelet-rich plasma PRP is being used as a new therapeutic option for different pathologies in the field of dermatology, such as trichology, wound healing, and cosmetic medicine. Platelet-rich plasma is an exciting new technology that may have the potential to serve as an alternative or adjuvant treatment to surgery in many common injuries/conditions in sports medicine. The growth factors provided by platelets and plasma are essential to the tissue repair process. It could have its effect due to the microenvironment of the tissue. It is used within, the tissue's specific processes for healing, or PRP's possible ability to enchange stem cell proliferation, depending on its preparation, activation, and variable contents. Accordingly, it may be effective treatment for some gynecological and obstetrical conditions. Aim of the work: We conducted this essay to confirm PRP efficacy and safety in varous obstetric and gynecological disorders. Methodology: Relevant citations were extracted from Pubmed, Google scholar, Clinical key, Scopus, Med-line, Embase and Cochrane to identify studies investigating the uses of PRP in gynecology from 2010 to 2020.

Conclusion: PRP is an innovative therapeutic modality, as it is affordable, simple, easily performed, and effective. In the field of gynecology, the risks of PRP therapy as infection, bleeding, and nerve damage, appear to be minimal.

Keywords: Platelet-Rich Plasma, Obstetrics and Gynecology

Galal *et al.*, 2021

Risks of PRP therapy as infection, bleeding and nerve damage appear to be minimal.



PRP & FEMALE SEXUALITY

Easy to apply & fast has almost no adverse effects owing to it being autologous.

Administration to the lower anterior vaginal wall may improve female sexuality with high satisfaction



Platelet-rich plasma administration to the lower anterior vaginal wall to improve female sexuality satisfaction

Kadın cinselliğinde memnuniyeti artırmak için alt ön vajinal duvara trombositçe zengin plazma uygulaması

⑤ Gökmen Sukgen¹, ⑤ Aşkı Ellibeş Kaya², ⑥ Ebru Karagün³, ⑤ Eray Çalışkan⁴

¹Private Practice Clinic, Clinic of Obstetrics and Gynecology, Adana, Turkey

²Düzce University Faculty of Medicine, Department of Obstetrics and Gynecology, Düzce, Turkey

Sukgen et al., 2019

³Düzce University Faculty of Medicine, Department of Dermatology, Düzce, Turkey

⁴Okan University Faculty of Medicine, Department of Obstetrics and Gynecology, Istanbul, Turkey

Lack of randomization and lack of control group to be performed with a placebo and retrospective design



Aesthetic gynecology and Leading Gynecology Associations' approaches















RCOG Ethics Committee 2013

Ethical opinion paper

Ethical considerations in relation to female genital cosmetic surgery (FGCS)

Women requesting labiaplasty should provided:

- Accurate information about the normal variations in female genitalia & offered counselling & other psychological treatments body image distress
- Education, Support & Advice should be at the heart of clinical practice, with a sympathetic appreciation of female body insecurities

- Even though children aged 16 or over can consent to surgical procedures, FGCS should not normally be carried out on women and girls under 18 years of age, irrespective of consent, full genital development is not normally achieved before the age of 18.
- Labiaplasty, patients must be informed about the risks & the lack
 of reliable evidence its positive effects
- GP & Practice nurses should have access to accurate genital variation.

- The RCOG, the British Association of Aesthetic Plastic Surgeons (BAAPS)
 & Department of Health, advised by appropriate lawyers, should provide guidance concerning potential overlap between FGCS and FGM
- The RCOG, BAAPS, Reconstructive and Aesthetic Surgeons (BAPRAS) should provide updated clinical guidance and standards to assist doctors working in this field
- Essential all surgeons who undertake FGCS keep written records of the physical & mental health reasons to perform FGCS
- Consent forms and details of the information provided to the woman

- Clear data about FGCS need to be collected in both the NHS and private clinics on incidence, age of patients, nature of surgery, reported reasons for surgery and patient follow-up
- Any advertising of labiaplasty or other FGCS procedures conforms to good medical practice and is subject to Advertising Standards Authority codes
- Advertising should not mislead people concerning what is normal or what is possible, and should include information about the lack of robust evidence concerning risk
- Labiaplasty for cosmetic reasons NOT proper use of public resources and should not be provided by the NHS

Guidelines 055 female cosmetic Surgery 2015







the Global Voice for Women's Health


- ✓ There is no clear evidence for the effectiveness and safety of cosmetic genital surgery. This means that ethically impermissible
- ✓ Obstetrician-gynecologists should not offer, recommend, perform, or refer for cosmetic genital surgery



Figo Committee For The Ethical Aspects Of Human Reproduction And Women's Health. Ethical considerations regarding request and offering of cosmetic genital surgery. *Inter J Gynaecol Obstet.* **2015**;128:85–6. [PubMed]

Guidelines 055 female cosmetic Surgery 2015







the Global Vaice for Women's Health

- ✓ If a patient expresses an interest in or requests FCS, SHOULD BE explain that there is no clear evidence of effectiveness or safety
- ✓ Will prevent unmanageable economic conflicts of the interest on the part of the obstetrician-gynecologist.



Figo Committee For The Ethical Aspects Of Human Reproduction And Women's Health. Ethical considerations regarding request and offering of cosmetic genital surgery. *Inter J Gynaecol Obstet.* **2015**;128:85–6. [PubMed]

ACOG Recommendation 2017



in the case of requests for Mammoplasty & Labiaplasty, patients, especially Adolescents, and their families be informed about:

- ✓ Normal variations and physical changes, that the patient's physical
- ✓ Emotional development had to be evaluated
- ✓ Consultation about non-surgical techniques should be provided



American College of Obstetricians and Gynecologists, ACOG Committee Opinion No 686. Breast and labial surgery in adolescents 2017;129:17-9

2007, ACOG- Not supportive

2011, **ACOG**- Extensive evidence-based work on the effectiveness & Reliability

2013, Canadian Society OB – Medical, Sexual & Gynecological histories has to be taken when Gynecological cosmetic procedures

2013, RCOG ethical considerations FGCS (NOT < 18 y, any advertising conforms to good medical practice
2015, IFGO: Therapeutic & Non medical indications/ normal anatomical variations / Role out any mental problems (BDD) / Competency of the surgeon

2017, ACOG Adolescents, and their families informed normal

variations and physical changes, revaluated, consultation NS





- ✓ All procedures involving partial or total removal of external genitalia
- ✓ No Health benefit
- ✓ Human Rights Violation NO patient consent

Female genital cosmetic surgery

- ✓ Related to genital destruction
- ✓ Consent present and patient request




World Health Organization. Eliminating female genital mutilation: an interagency statement. Geneva: World Health Organization; 2008.

Aesthetic Gynaecology Training & Certification





Multidisciplinary Specialty




Aesthetic Gynaecology Training

- ✓ Training different from one country to another
- ✓ Is it mandatory to be a Gynaecologist before you Specialised in Aesthetic Gynaecology?
- ✓ All agreed that Aesthetic Gynaecology should be FULLY aware about the Anatomy and Physiology of the female genital tract
- √ What are the minimal training? & Experience before you practice alone
- ✓ Do we need accreditation / Classifications as new subspecialty
- ✓ Can be classified under URO- GYNAECOLOGY OR Separate as Aesthetic Gynaecology subspecialty



Training in Aesthetic Gynecology



Emerging Field for Dermatologist

Received: 31 March 2022

Revised: 28 September 2022

Accepted: 19 October 2022

DOI: 10.1111/jocd.15484

REVIEW ARTICLE

Jindal et al., 2022



Cosmetic gynecology—An emerging field for the dermatologist

Anuradha Jindal MBBS, MD, FRGUHS | Venkataram Mysore MBBS, DVD, MD, DNB, DipRCPath, FRCP, FISHRS | Jayashree Venkataram Mysore MBBS, FRCOG ©

Venkat Institute of Skin and plastic surgery, Karnataka, Bangalore, India

Correspondence

Anuradha Jindal, Skin-win clinic, GSJ royale building, Santhekatte, Udupi, Karnataka 576114, India. Email: dr.anu17@gmail.com Abstract

Introduction: Cosmetic gynecology is an expanding field with a steep rise in awareness and demand for procedures to enhance the aesthetic appearance of female genitalia.

Aim: This article aims to provide an overview of aesthetic gynecology for a practicing dermatologist.


Methods: A study conducted in India showed a rising trend in the demand of aesthetic vaginal procedures from 3.9% in 2012 to 28.97% in 2015.

Conclusion: Several aesthetic modalities such as peels, platelet rich plasma, and

Peels, PRP, EBD & surgical modalities have been in use, though serious evidence for efficacy of many of these procedures is lacking



Dermatological & Gynecological Conditions Lead to emerge of Aesthetic Gynaecology



Organizations & Associations conduct training in AG

- ✓ ILAMED Institute of Laser & Aesthetic Medicine Germany 18 y: (1y) Fellowship in Cosmetic gynecology & Sexual Medicine / FCGSM (Surgical & non surgical live session and hands on)
- ✓ AAA American Aesthetic Association USA (8 y)
- ✓ ABAG- American Board of Aesthetic Gynaecology USA Medafia conference Dubai UAE
- ✓ ESAG European Society of Aesthetic Gynecology London Dubai- Athens
- ✓ IAAG &SW- International Association of Aesthetic Gynecology & Sexual Wellbeing
- ✓ EIAUG Egyptian International Aesthetic Uro- gynaecology Associations
- ✓ ICCG Indian College of Cosmetic Gynecology
- ✓ ABAM MED courses and conference —UAE (Master)
- ✓ Fellowship in cosmetics gynecology —AECS (All & Every where conference and seminar (Dubai)/ ISAGSS
- ✓ CME-KSA



Master course in Germany 4 parts for 3 months

Gynaecologist / Urogynecology / Plastic Surgeon / Urologist

Masters Course in Cosmetic Gynaecology (MCCG) 3m

Masters Course in Cosmetic Gynaecology (MCCG) has become one of the most happening subspecialties of elective surgery for women

Fellowship in Cosmetic Gynecology & Sexual Medicine (FCGSM) 1 year

Cosmetic Gynecology has become one of the most happening subspecialties of elective surgery for women and includes specialists in..

زمالة الطب النسائي الجنسي والتجميلي - 12 شهر



6 MONTHS Diploma Course in Cosmetic Gynaecology (DCG) 6m

Cosmetic Gynecology has become one of the most happening subspecialties of elective surgery for women and includes specialists in



Fellowship for 3-4 days - India & UAE







3 days Hands On Training London

February 22nd – 24th, 2023 London, UK

Hands On Training on Surgical & Non-Surgical Female Genitalia Cosmetic

Procedures & Treatments

This course is offered by the European Society of Aesthetic Gynecology, ESAG, features an acclaimed expert in the field of vaginal rejuvenation, Dr. Alexandros Bader.







International Association of Aesthetic Gynecology & Sexual Wellbeing

Fellowship 3 days (hands on training)

OB/GYN – Urogynecology Dermatologist Plastic Surgeon & Aesthetic Physician

FELLOWSHIP IN COSMETIC GYNECOLOGY

ONE - ON - ONE HANDS ON TRAINING





include all course materials, protocols, notes; lunch and beverages will be provided.

International Association of Aesthetic Gynaecology and Sexual Wellbeing

CLINICAL CASES

Surgical Cases: Labiaplasty Surgical Case, Hoodoplasty Vaginoplasty, Posterior Repair. Non Surgical Cases: PRP and HA for Vaginal Enhancement, Laser Vaginal Tightening, Labia Majora Lifting by Radio Frequency, Vaginal Rejuvenation, G-Spot Augmentation, O-shot etc.

WHO SHOULD ATTEND?

Gynecologists, Dermatologists, Urogynecologist Plastic Surgeons, Aesthetic Physician





Dr. Dawid Serafin

COURSE CONTENTS

- History and Statistics.
- Consultation and Patient Selection.
- Patient Pain and Anxiety.
- The O-shot (Vaginal Rejuvenation with PRP).
- G-Spot Augmentation.
- Non-Invasive laser therapy for vaginal health.
- Treatment using micro injections of carbon dioxide to increase vascularization by Carboxytherapy.
- Use of radiofrequency to improve the elasticity and function of the internal vagina
- Hyaluronic Acid (HA) in Vaginal Rejuvenation.
- BOTOX Treatment for Vaginismus.
- Intimate bleaching Depigmentation of the
- PDO thread lift for Vaginal Rejuvenation.
- Laser Vaginal Rejuvenation for Vaginal Laxity and Vaginal Atrophy with Co2 Laser.
- How to market these treatments into your

REGISTRATION / QUERIES

- info@aecsmed.com
- aecsmed.com/registration
- +971 55 532 2030 / +971 50 439 8837



COURSE FEE

cyrights Reserved - Intellectual Property of AECS



Training hands on One day 4 courses & 3 days course

Egyptian International Aesthetic Urogynaecology Associations

- **✓ FAT Transfer**
- **√** Filler
- **✓** PRP
- √ Thread
- **✓ Urinary Incontinence**





Training hands on for 2 day American Aesthetic Association

OB/GYN – Dermatologist – Cosmetologist & Plastic Surgeon





3 days course in Dubai

American Academy of Aesthetic Medicine Masters in Cosmetic Gynecology

Course Date: 7-8 Jun 2023 | Course Venue: United Arab Emirates - UAE

Course Conducted by



Course Accredited by











Role of Social Media Advertising & Internet on Female

Cosmetic Gynecology







world turned into a global village
Source of information is very important / Who is responsible
Is it all right (information's & images) / Use of photoshop

✓ Communications turned to be very high & speedy. World Interconnected with each other – Rapid spread of any information










Advertise for girls












فيلر المنطقة الحساسه

حقن الفيلر لعلاج ترهلات المنطقة وشدها واعطاء امتلاء حميل للمنطقة وبنفس الوقت تفنيح المنطقة







Ethical Implications in Aesthetic Gynaecology

- ✓ Full history & Examinations & necessary Investigation
- ✓ Informed Consent / Youth 14-18 y
- ✓ Surgeon Competency (procedure & deal with complications)
- ✓ Discuss success rate & complications realistic expectations
- ✓ Conflict of Interest & Honest with your patient



Recommendations

- ✓ More Research RCT / improve sample size / Multicenter studies / Pt & Public educations
- ✓ Accreditations of practice Gyn subspecialty
- ✓ Well structure training & include it in residency programme
- ✓ Follow Gynaecological Association statements
- ✓ Ethical implications & Regulations
- ✓ Control media Advertising to include real & accurate information
 - **Control Aesthetic Tourism**

- ✓ Individualized the technique of surgery used with great consideration of the patient's preferred goals with realistic expectations
- ✓ inform patients about normal variations
- ✓ Perform psychological evaluations, & discuss realistic expectations
- ✓ Surgeon's training & Skills / comfort level with the various techniques must be considered
- ✓ Muslims cultures need Fatwa particularly we are dealing with "Major Awarah"

